



7795 Little York Rd
Houston, TX 77016
PH: 866-461-9445
FX: 713-491-9359
www.crane-works.com

Houston - Denver - Kansas City - San Diego - Newark - Calgary

Stock No. J7K0-1872

2010 Link-Belt RTC-80100 Series II

100 Ton Rough Terrain Crane

Standard Features

- 40-150 ft (12.2-45.7 m) five section boom
- 24,000 lbs (10 886 kg) of counterweight
- 21,022 lbs (9 535.4 kg) maximum winch line pull
- 431 fpm (131.4 m/min) maximum winch line speed
- Six hydrostatic wheel motors
- Hook block and ball
- 23.5R25 tires

Key Features

- Full power boom with market-leading capacity for its class
- Counterweight consists of modular-style counterweights for multiple transport and lift scenarios
- Boom wear pads have Teflon pucks that lubricate the boom sections (No grease)
- Next generation operator's cab with improved visibility and ergonomics
- Proven six-wheel hydrostatic drive with fully independent hydraulic suspension
- 4-mode steering controlled from the steering wheel
- Full-length flat deck with integrated steps and handholds
- Large swing out engine hood doors for ease of service

Hours: Approximately 6,500

Net Selling Price: \$595,000



Stock photo



Stock photo



Stock photo



Stock photo



Stock photo





Stock photo



Stock photo



TEREX

ELLIOTT
EQUIPMENT COMPANY

PALFINGER



FASSI

CORMACH

Genie
LIFT EQUIPMENT

GC
CONSTRUCTION EQUIPMENT





TEREX

ELLIOTT
EQUIPMENT COMPANY

PALFINGER



FASSI

CORMACH

Genie
LULL COMPANY

GC
CONSTRUCTION EQUIPMENT

